EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6515300").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 11:55
S2	2	("6372534").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 15:55
S3	4	("5229644").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:28
S4	2	("5641974").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:00
S5	2	("5585951").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:19
S6	5	"349"/$.ccls. and low adj transmittance near8 blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 12:24
S7	82	"349"/$.ccls. and (low lower lowering) near8 transmit$6 near8 blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 12:26

S10	14	"349"/$.ccls. and (low lower lowering) near8 transmit$6 near8 blue same (insulation insulator passivation insulating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 12:29
S11	6	"349"/$.ccls. and (low lower lowering) near8 transmit$6 near8 blue.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 12:29
S12	17	(low lower lowering) near8 transmit$6 near8 blue same (insulation insulator passivation insulating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 13:09
S13	2	"US 20010002857"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2007/09/13 15:09
S14	788	"349"/$.ccls. and (insulator insulation passivation) same (thick thickness) same ("mu.m" "Ang.")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:11
S15	373	"349"/$.ccls. and (insulator insulation passivation) near8 (thick thickness) near8 ("mu.m" "Ang.")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:17
S16	1161	"349"/$.ccls. and (insulator insulation passivation insulating) near8 (thick thickness) near8 ("mu.m" "Ang.")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:46
S17	2023	"349"/$.ccls. and (insulator insulation passivation insulating resin) near8 (thick thickness) near8 ("mu.m" "Ang.")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:18

S18	0	"349"/$.ccls. and reactive near4 peak near4 wavelength near8 (nanometer nm nano) same (photo near3 resin)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:48
S19	40	"349"/$.ccls. and wavelength near8 (nanometer nm nano) same (photo near3 resin)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:49
S20	12	"349"/$.ccls. and (reaction reactive react) same wavelength near8 (nanometer nm nano) same (photo near3 resin)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/09/13 15:49
S21	23	"349"/$.ccls. and resin same positive same (methacrylic glycidyl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:01
S22	919	"349"/$.ccls. and (methacrylic glycidyl)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:01
S23	53	"349"/$.ccls. and (methacrylic glycidyl) same resin same (curing cure cured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:06
S24	12	"349"/$.ccls. and methacrylic same glycidyl same resin same (curing cure cured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:08
S25	37	"349"/$.ccls. and methacrylic same glycidyl same resin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:15

S26	408	"349"/$.ccls. and wavelength near10 "365"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:16
S27	397	"349"/$.ccls. and wavelength near10 "365" near3 (nanometer nm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:16
S28	36	"349"/$.ccls. and (reaction react reactive reacting) same wavelength near10 "365" near3 (nanometer nm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:16
S29	39	"349"/$.ccls. and (reaction react reactive reacting) same wavelength near10 "365" near3 (nanometer nm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 16:17
S30	9	"349"/$.ccls. and removing adj solution same pixel adj electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:34
S31	382	"349"/$.ccls. and solution same pixel adj electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 16:34
S32	3345	"349"/$.ccls. and amorphous adj silicon same semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:41
S33	960	"349"/$.ccls. and amorphous adj silicon same (on top overlapping over overlapped overlap) same semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:41

S34	347	"349"/$.ccls. and amorphous adj silicon near8 (on top overlapping over overlapped overlap) same semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:41
S35	230	"349"/$.ccls. and amorphous adj silicon near8 (on top overlapping over overlapped overlap) near8 semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:48
S36	8	(("5229644") or ("5822027") or ("5341012")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 13:06
S37	9	"257"/$.ccls. and channel near10 amorphous adj silicon near8 (on top overlapping over overlapped overlap) near8 semiconductor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/14 12:49
S38	32	"349"/$.ccls. and (aperture open opening) near9 ratio near10 "80"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 13:07
S40	424	"349"/$.ccls. and (photo near2 sensitive)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/04/25 09:39
S42	26	"349"/$.ccls. and photo near2 sensitive with acrylic adj resin	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 09:40
S43	103	"349"/$.ccls. and (photo near2 sensitive) with insulat$4	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/04/25 09:41
S44	2	("5822027").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 09:58

S45	2	("5341012").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 10:03
S46	424	"349"/$.ccls. and (photo near2 sensitive)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/04/25 10:23
S47	66	photo near2 sensitive with acrylic adj resin	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 10:23
S48	3639	"349"/$.ccls. and etch$3 with (passivat$4 insulat$4)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 12:18
S49	409	"349"/$.ccls. and etch$3 with (passivat$4 insulat$4) and @ay<="1995"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/25 12:20
S50	29	"349"/$.ccls. and insulat$4 with transmittance same (blue green red)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:26
S51	932	"349"/$.ccls. and transmittance same (blue green red)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:41
S52	179	"349"/$.ccls. and transmittance same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:42
S53	59	"349"/$.ccls. and transmittance same (low lower less) same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:51

S54	1	"257"/$.ccls. and (insulat$4 passivat$4) same transmittance same (low lower less) same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:53
S55	3	"257"/$.ccls. and (insulat$4 passivat$4) same transmittance same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:54
S56	4	"349"/$.ccls. and (insulat$4 passivat$4) same transmittance same (blue green red) and @ay<="1995"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:54
S57	5	((("6052162") or ("6097452") or ("6195138") or ("6433851")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:59
S58	4	S57 and blue	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:59
S59	2	S57 and blue.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 12:59
S60	43	("3602782" | "4688896" | "4759610" | "4857907" | "4923948" | "5003356" | "5032883" | "5166085" | "5182661" | "5246782" | "5314783" | "5335102" | "5378585" | "5463481" |	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:02

		"5483082" | "5500750" | "5517342" | "5526014" | "5585951" | "5594571" | "5641974" | "5658697" | "5675159" | "5679596" | "5682211" | "5688366" | "5688410" | "5695906" | "5822027" | "5831708" | "5859683" | "5870157" | "5877830").PN. OR ("6097452").URPN.				
S61	15	S60 and blue	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:03
S62	409	"349"/$.ccls. and transmitt$4 with (percent$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:05
S63	11	"349"/$.ccls. and transmitt$4 with (percent$3) same (insulat$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/25 13:06
S64	2	("6515300").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 13:10
S65	2	("6372534").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 13:14
S66	1	(photo near3 (resist sensitive image imageable)) with (insulat$4 passivat$4) with (transmittance) same (blue red green)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 13:45

4/28/2008 10:46:17 AM

C:\ Documents and Settings\ Ichien\ My Documents\ EAST\ Workspaces\ 10771263.wsp